

## Indoor Floor Standing Digital Signage (Type B)

65"/75"/85"/98" LCD Screen (Touch Screen Optional)



4K Optional



Smart Split Screen




High Brightness 500-700 nits Optional



Plug and Play



Tempered Glass



Mobile APP & Cloud Platform Control



Timing 24/7



Touch Screen Optional

YINGLUX indoor floor standing digital signage type B series have different sizes such as 65"/75"/85"/98" LCD screen for displaying information to your customers and clients in different occasions such as: airport, hospitals, hotels, shopping mall, restaurants, etc. The information can be seen clearly because of the full HD and high brightness screen with 300 nits to 700 nits. The machine support CMS to send information easily, and show different content in different time with timer. No matter what industry you work in, we provide customized parameters you need.

- Android 11 OS
- Smart split screen
- Tempered anti-Glare LCD Screen
- 350 nits high brightness, 500-700nits Optional
- 60000 hours long life cycle
- 1920 x 1080 HD Resolution, 4k optional
- 1 year warranty, Life-Long Service
- VIP one-one service, phone & video call available
- Auto-timing content control
- Supports Image, Video, and Audio Files
- Cloud Platform, APP, U-Disk / SD-Card content management
- Includes USB, HDMI, and Ethernet Ports
- WiFi and Bluetooth connection available
- Support color and parameters customization

Model NO.	Screen Size	Product Size	Carton Package Size
YL-IFS65B	65"	869.7*450*1554.7mm	1609.7*979.7*245mm
YL-IFS75B	75"	1004.9*700*1787.5mm	2223.2*1168.9*245mm
YL-IFS85B	85"	1154.1*700*2033.7mm	2160*1285*245mm
YL-IFS98B	98"	1315.5*700*2320.4mm	2430*1450*250mm

### Screen Parameter

Resolution	1080P (1920*1080) 4k(3840*2160) optional
Brightness	350nits, 500-700nits Optional
Color depth	16.7M
Aspect Ratio	9:16
Contrast	1200:1
Viewing Angle	178°(H) / 178°(V)
Response Time	5ms
Life Cycle	≥60000 hours

### Mainboard Parameter

CPU	RK3568S, quad-core, up to 2.0GHz
RAM/ Storage	Standard : 2GB+32GB Optional : 4GB+32GB, 8GB+64GB, 8GB+128GB
Operate System	Android 11, Windows OS Optional
Connectivity	Support RJ45 Ethernet, 2.4G WIFI, 5G WIFI Optional, Bluetooth
Video	Support AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, VOB, PMP, MPEG, MPG FLV, ASF, and etc.
Image	Support BMP、JPEG、PNG、GIF etc.
Audio	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and etc.
USB	1-way USB-3.0 HOST, 1-way USB 3.0 OTG, 5-way extended USB port
HDMI	Support HDMI output, up to 4K
Content Management	Cloud Platform, APP, U-Disk / SD-Card

### Other Parameter

Input Voltage	AC100-240V
Timing Function	Microcomputer timer switch ON/OFF the machine in different periods
Product Color	White / Black / Silver / Grey or Customized
Camera	Optional
Speakers	2x10W Speakers
Humidity	10%~90%
Working Temperature	-20℃~50℃
Material	Steel, Tempered Glass
Certificate	ISO9001, CE, RoHs, FCC
Includes	Remote Controller, key, 5 feet Power Cord
Warranty	1 Years ( <b>One-one VIP Life-Long Service</b> , Phone & Video Calls Available)

## Product Details

Change Brightness Automatically

1080P Full HD  
4K Optional

**350nits**  
700 nits Optional  
High Brightness Optional

Tempered Glass

Touch Screen Optional


### Intelligent Split Screen Display

more.....


## Package




## Various Control Methods





## Applications








## YL-IFS65B



## YL-IFS75B



## YL-IFS85B



## YL-IFS98B