

Portable Indoor Digital Signage (Type A)

43"/49"/55" LCD Screen

(Touch Screen Optional)



4K Optional



Smart Split Screen




High Brightness 500-700 nits Optional



Plug and Play



Tempered Glass



Mobile APP & Cloud Platform Control



Timing 24/7



Touch Screen Optional

YINGLUX Portable indoor digital signage type A series have different sizes such as 43" /49" /55" LCD screen for displaying information to your customers and clients in different occasions such as: airport, hospitals, hotels, shopping mall, restaurants, etc. The information can be seen clearly because of the full HD and high brightness screen with 300 nits to 700 nits. The machine support CMS to send information easily, and show different content in different time with timer. No matter what industry you work in, we provide customized parameters you need.

- Android 11 OS
- Smart split screen
- Tempered anti-Glare LCD Screen
- 350 nits high brightness, 500-700nits Optional
- 60000 hours long life cycle
- 1920 x 1080 HD Resolution, 4k optional
- 1 year warranty, Life-Long Service
- VIP one-one service, phone & video call available
- Auto-timing content control
- Supports Image, Video, and Audio Files
- Cloud Platform, APP, U-Disk / SD-Card content management
- Includes USB, HDMI, and Ethernet Ports
- WiFi and Bluetooth connection available
- Support color and parameters customization

Model NO.	Screen Size	Input Power	Wight	Product Size	Package Size
YL-IPD43A	43"	40.5W	94.80 lbs	68.90"x23.34"x1.94"	72.64"x28.74"x6.89"
YL-IPD49A	49"	65W	109.13 lbs	71.02"x26.37"x1.94"	75.59"x31.69"x6.89"
YL-IPD55A	55"	72W	129.19 lbs	74.80"x29.41"x1.94"	79.53"x35.04"x6.89"

Screen Parameter

Resolution	1080P (1920*1080) 4k(3840*2160) optional
Brightness	350nits, 500-700nits Optional
Color depth	16.7M
Aspect Ratio	9:16
Contrast	1200:1
Viewing Angle	178°(H) / 178°(V)
Response Time	5ms
Life Cycle	≥60000 hours


Mainboard Parameter

CPU	RK3568S, quad-core, up to 2.0GHz
RAM/ Storage	Standard : 2GB+32GB Optional : 4GB+32GB, 8GB+64GB, 8GB+128GB
Operate System	Android 11, Windows OS Optional
Connectivity	Support RJ45 Ethernet, 2.4G WIFI, 5G WIFI Optional, Bluetooth
Video	Support AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, VOB, PMP, MPEG, MPG FLV, ASF, and etc.
Image	Support BMP、JPEG、PNG、GIF etc.
Audio	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and etc.
USB	1-way USB-3.0 HOST, 1-way USB 3.0 OTG, 5-way extended USB port
HDMI	Support HDMI output, up to 4K
Content Management	Cloud Platform, APP, U-Disk / SD-Card

Other Parameter

Input Voltage	AC100-240V
Timing Function	Microcomputer timer switch ON/OFF the machine in different periods
Product Color	White / Black / Silver / Grey or Customized
Camera	Optional
Speakers	2x10W Speakers
Humidity	10%~90%
Working Temperature	-20℃~50℃
Material	Steel, Tempered Glass
Certificate	ISO9001, CE, RoHs, FCC
Includes	Remote Controller, key, 5 feet Power Cord
Warranty	1 Years (One-one VIP Life-Long Service , Phone & Video Calls Available)


Product Details



Package



Various Control Methods



Applications

