

## Adapt to various scenarios



## Portable Outdoor LCD Digital Signage Type B

32"/43" Screen (Touch Screen Optional)



**IP65**  
24/7 Work



**Built-in Battery**  
10-15 Hours




**High Brightness**  
2500 nits Optional



**Plug and Play**



**Tempered Glass**



**Mobile APP & Cloud Platform Control**



**Built-in GPS Anti-Theft Optional**



**Touch Screen Optional**


YINGLUX Display type B portable Battery-Powered outdoor digital signage have 43" screen and IP65 waterproof grade are designed for displaying information to your customers and clients with No environmental limitations. Go anywhere with built-in battery(last 10-15 hours) and wheels. The information can be seen clearly under the sun because the high brightness screen with 1800 nits or 2500 nits. No matter what industry you work in, we provide customized parameters you need.

- Android 11 OS
- Tempered anti-Glare LCD Screen
- 1800 nits high brightness, 2500cd/m<sup>2</sup> Optional
- 1200wh removable battery for 10-15 hours
- 60000 hours long life cycle
- IP65 waterproof
- 5 years warranty, Life-Long Service
- VIP one-one service, phone & video call available
- Locking wheels for security and easy to move
- Supports Image, Video, and Audio Files
- 1920 x 1080 HD Resolution, 4k optional
- Cloud Platform, APP, U-Disk / SD-Card content management
- Includes USB, HDMI, and Ethernet Ports
- WiFi and Bluetooth connection available
- Support color and parameters customization

# Parameters

<b>Screen Parameter</b>	SKU	YL-OPDB
	Screen Type	Non-Touch Screen / Touch Screen Optional
	Screen Size	32 inches/43 inches
	Display Area	943×531mm(W*H) (37.12x20.9 inches)
	Aspect Ratio	16:9
	Resolution	1080P (1920*1080) 4k(3840*2160) optional
	Color depth	16.7M
	Brightness	1800cd/m <sup>2</sup> (Clearly under the sun), 2500cd/m <sup>2</sup> Optional
	Contrast	3500:1
	Viewing Angle	178°(H) / 178°(V)
	Response Time	5ms
	Life Cycle	≥60000 hours
<b>Mainboard Parameter</b>	CPU	RK3568S, quad-core, up to 2.0GHz
	RAM/ Storage	Standard : 2GB+32GB, Optional : 4GB+32GB, 8GB+64GB, 8GB+128GB
	Operate System	Android 11, Windows OS Optional
	Connectivity	Support RJ45 Ethernet, 2.4G WIFI, 5G WIFI Optional, Bluetooth
	Video	Support AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, VOB, PMP, MPEG, MPG FLV, ASF, TS, TP, 3GP, MPG and etc.
	Image	Support BMP、JPEG、PNG、GIF etc.
	Audio	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and etc.
	USB	1-way USB-3.0 HOST, 1-way USB 3.0 OTG, 5-way extended USB port
	HDMI	Support HDMI output, up to 4K
	Content Management	Cloud Platform, APP, U-Disk / SD-Card
<b>Battery Parameter</b>	Charging Time	7 Hours
	Working Time	10-15 Hours
	Capacity	50000 mAH
	Voltage	24V
<b>Other Parameter</b>	Input Voltage	AC100V~240V
	Input Power	From 38W to 120W
	Product Color	Standard Black and White, Optional other color
	Camera	Optional
	Speakers	2x5W Speakers
	Humidity	10%~90%
	Working Temperature	-20℃~50℃
	Material	Steel, Tempered Glass
	Certificate	ISO9001, CE, RoHs, FCC
	Includes	Remote Controller(For non-touch screens), key, 5 feet Power Cord
	Product Size	1299.08mm*142mm*610mm
	Package Size	1400mm*288mm*711mm
Warranty	5 Years ( <b>One-one VIP Life-Long Service</b> , Phone & Video Calls Available)	

# Product Details





**Ultra Long Life:**

**15** HRS

0% 100%

15 hours of continuous operation on a full charge


**Display Power**

Clearly displays the remaining power of the advertising machine allowing you to always know the remaining power.




**Brightness automatically adjustment by the light sensor**

Light sensor Automatic adjustment Touchscreen



**-40°~ +90°~**

**Heat-resistant**

**Work suitable for -40°~+90°~**



### Smart Spilt Screen

Smart Spilt Screen

### Loop Display Automatically with U-Disk/CMS

(image, video, txt)

Loop Display Automatically with U-Disk/CMS  
(image, video, txt)



## Package

